

**068Z3206** **Thermostatic expansion valve, T 2, R22/R407C**

Temperature range [°C]: -40 - 10, Pressure equalization: Internally equalized

PRODUCT DETAILS

Gross weight	0.306 Kg
Net weight	0.284 Kg
Volume	0.477 Liter
EAN	5702422114130
Approval	EAC LLC CDC TYSK
Body material	Brass
Capillary tube length [in]	59 in
Capillary tube length [mm]	1500 mm
China RoHS compliance	Out of scope
Connection material	Brass
Direction	Angleway
EU RoHS compliance	Yes with exemptions
EU RoHS exemption clause	6(a), 6(c)
Flow direction	Single-flow
Flow direction indicator	Embossed 1-way arrow
Fluid Group	2
Identical product	068Z3466
In scope of WEEE and contain batteries	No
Inlet connection type	Flare
Inlet size [in]	3/8 in
Max. Working Pressure [bar]	34 bar
Max. Working Pressure [psig]	500 psig
Outlet connection type	Flare
Outlet size [in]	1/2 in
Packing format	Multi pack
Parts included	Bulb strap
Parts Program name	T2/TE2
PED category	Art. 4, par. 3
Pressure equalization	Internally equalized
Product accessories	TXV accessories
Product group	Expansion valves
Product Name Description	Thermostatic expansion valve
Quantity per packing format	20 pc
Rated cap. cond. Range N [IMP]	OS=10.8 °F tcond=100 °F tevap=40 °F tliq=98 °F

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | Thermostatic expansion valve, T 2, R22/R407C

PRODUCT DETAILS

Rated cap. cond. Range N [SI]	OS=6K tcond=38 °C tevap=4.4 °C tliq=37 °C
REACH Candidate List substances	Lead (CAS no. 7439-92-1)
Refrigerants	R22/R407C
SCIP dossier no.	6450ee16-252d-49df-8f77-4136a47bb857
SCIP dossier product name	T2/TE2
Serviceable	TXV spare parts
Static Superheat (SS) [°C]	4 °C
Static Superheat (SS) [°F]	7.2 °F
Superheat setting	Adjustable
Temperature range [°C] [max]	10 °C
Temperature range [°C] [min]	-40 °C
Temperature range [°F] [max]	50 °F
Temperature range [°F] [min]	-40 °F
Type	T 2
UA address	UA_2L.png
UK RoHS compliance	Out of scope

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Accessories

**011L1101** [🔗](#)**Spare part, TE5-TE55; T 2; PHT; TE 2; PHTQ, Flare nut**

Product Type: Spare part, Used for product: TE5-TE55; T 2; PHT; TE 2; PHTQ, Type designation: Flare nut, Flare nut

**011L1107** [🔗](#)**Spare part, T 2; TE 2, Reducer flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Reducer flare nut, Flare nut

**011L1135** [🔗](#)**Spare part, T 2; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Flare nut, Flare nut

**011L1201** [🔗](#)**Spare part, T 2; TE 5; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 5; TE 2, Type designation: Flare nut, Flare nut

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | Thermostatic expansion valve, T 2, R22/R407C

Accessories

**011L1203** **Spare part, TE 5, Flare nut**

Product Type: Spare part, Used for product: TE 5, Type designation: Flare nut, Flare nut

**011L1207** **Spare part, T 2; TE 2, Reducer flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Reducer flare nut, Flare nut

**011L1235** **Spare part, T 2; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Flare nut, Flare nut

**068N2532** **TXV accessories, Bulb Strap Ass'y I/48**

Bulb Strap Ass'y I/48, Packing format: Industrial pack, Quantity per packing format: 48

**068U3505** **TXV accessories, Accessory 0.4 mm Bulb strap I/45**

Accessory 0.4 mm Bulb strap I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3506** **TXV accessories, Accessory 0.4mm bulb strap I/45**

Accessory 0.4mm bulb strap I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3508** **TXV accessories, Accessory bag with long Bulb strap M/45**

Accessory bag with long Bulb strap M/45, Packing format: Multi pack, Quantity per packing format: 45

**068U3509** **TXV accessories, OEM bulb strap 3/8 in I/45**

OEM bulb strap 3/8 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3510** **TXV accessories, OEM bulb strap 1/2 in I/45**

OEM bulb strap 1/2 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

**068U3511** **TXV accessories, OEM bulb strap 5/8 in I/45**

OEM bulb strap 5/8 in I/45, Packing format: Industrial pack, Quantity per packing format: 45

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | Thermostatic expansion valve, T 2, R22/R407C

Accessories

**068U3518** **TXV accessories, OEM bulb strap 5/16 in 1/45**

OEM bulb strap 5/16 in 1/45, Packing format: Industrial pack, Quantity per packing format: 45

Spare Parts

**011L1103** **Spare part, TE 5, Flare nut**

Product Type: Spare part, Used for product: TE 5, Type designation: Flare nut, Flare nut

**011L1135** **Spare part, T 2; TE 2, Flare nut**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Flare nut, Flare nut

**068-0015** **Spare part, T 2; TE 2, Filter**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Filter, Filter

**068-0080** **Spare part, T 2; TE 2, Filter**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Filter, Filter

**068-0081** **Spare part, T 2; TE 2, Filter**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Filter, Filter

**068-2002** **Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R407F; R404A/R507A; R448A; R23;**

Temperature range [°C]: -40 - 10

**068-2009** **Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R404A/R507A; R448A; R23; R22/R4;**

Temperature range [°C]: -40 - 10

**068-0003** **Spare part, T 2; TE 2, Filter**

Product Type: Spare part, Used for product: T 2; TE 2, Type designation: Filter, Filter

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | Thermostatic expansion valve, T 2, R22/R407C

Spare Parts



068-2003 [🔗](#)

Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R404A/R507A; R448A; R23; R22/R407C

Temperature range [°C]: -40 - 10



068-2008 [🔗](#)

Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R404A/R507A; R448A; R23; R22/R407C

Temperature range [°C]: -40 - 10



068-2007 [🔗](#)

Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R404A/R507A; R448A; R23; R22/R407C

Temperature range [°C]: -40 - 10



068-2010 [🔗](#)

Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R404A/R507A; R448A; R23; R22/R407C

Temperature range [°C]: -40 - 10



068-2006 [🔗](#)

Orifice for expansion valve, ORF, R407C; R236fa; R452A; R407A; R134a/R513A; R404A/R507A; R448A; R23; R22/R407C

Temperature range [°C]: -40 - 10

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.